

When Safety is Critical



Introducing the **REP-1 Rooftop Electrical Disconnect Pedestal**. The newest rooftop electrical disconnect from MAPA Products with the latest innovation in our expanding line of rooftop equipment to keep commercial rooftops **SAFE** and organized.

Features/Benefits:

- **Reduced liability and worry** from electrical hazards of rooftop equipment installation and maintenance
- Provides a **separate, local power control** over rooftop electrical equipment within sight for routine servicing and replacement
- **Save time and labor** with a simplified and consistent install process that provides flexibility to meet the construction schedules of multiple trades
- Designed with durable weatherproof materials to **withstand the harshest climate environments**
- **Leak resistant** with a single, round roof penetration and a multi-layered rooftop protective seal system
- **Customizable options** to support the power needs and configurations of most rooftop equipment (light to medium-duty: 30-60 amp loads)
- **Factory-wired to the engineered specification** ready for jobsite install

For additional REP-1 specification and ordering information, contact MAPA today!



ROUND
ELECTRICAL
PEDESTAL

Meet our Newest Rooftop Electrical Disconnect



Sleek Design with Rugged Durability

The REP-1 minimizes clutter on the roof by eliminating bulky, erector-style systems prone for leaks without sacrificing strength.

Fast, flexible, no-fuss assembly

Ships to the jobsite wired to the job-spec and ready to be assembled all at once or can be installed in roughed-in stages to accommodate the schedules of the different trades in new construction.

Ease of installation takes the guesswork out of prepwork

A single, round-hole drilled into the roof starts the quick and easy installation process.

Built with UL-Listed and Weatherproof Materials

From Safety switch disconnects protected by NEMA 3R/4X rainproof enclosures and Liquid Tight core flexible conduit protects wiring leads to stainless-steel and e-coating, the REP-1 is designed to handle the toughest of weather conditions.

Simplified Ordering Process

Call MAPA today and let our expert customer service team walk you through the custom options available for your rooftop project.



Safety Shouldn't Be Ugly and Hard to Install



Key Product Specs and Features



General REP-1 Product Specifications

- General to Heavy-duty: 30-60 amp loads
- Dimensions: Total height: 70-3/4"
Above-roof: 54-3/4" from flange to backplate top
Below-roof: 16" from flange to J-Box bottom
- Built standard with featured safety switch disconnects from leading manufacturers (i.e. Square D or Eaton)
- Pre-wired to the job specifications
- 6' liquid-tight whip included for electrical equipment



MAPA Backplate


Provides extra stability and place to hang additional light-duty fixtures.

An optional GFCI circuit to provide power when primary service is disconnected is available as an ordering option.

Ultimate Roof Protection

A watertight, rainproof flange is part of a multi-tiered sealing system compatible with the designer's plans in covering up the single-penetration of the REP-1 install to provide leak-resistant protection.

Engineered to ASCE Standards



The under-deck flange securely fastens in place with brackets bolted into the building's roof struts to withstand powerful wind and seismic activity without disrupting the roof flashing.

Junction box included

To finalize electrical hookup to power rooftop equipment, a J-box is included with the REP-1.



For additional REP-1 specification and ordering information, contact MAPA today!

Why MAPA Rooftop Electrical Disconnect Pedestals?

Elevating the protocols of 'Safety First' environments to reduce injury risk and liability is at the core of the design vision for **MAPA's Rooftop Electrical Pedestal Disconnects**. Delivering the ultimate local control of electricity to rooftop equipment with the following:



Worry-free maintenance and servicing

Removes concerns from hazards of direct-mounted equipment disconnects such as: unexpected arcing; vibration; or other age-related issues



Locked-in Load Compliance

Adheres to all industry codes; standards; and OSHA Lockout (LOTO) tagout regulations to ensure safe servicing



Smart Design with easy installation that's built to last

Engineered for simplicity and constructed with materials to withstand nature's harshest conditions for years of trouble-free service



Leak Resistant, Roof Protection

MAPA's Disconnect Pedestals come standard with single-penetration installs combined with a multi-step seal system safeguards roofs from costly water damage



Expert customer service on-call

Responsive US-based engineering and customer support teams available for product ordering; questions or troubleshooting.



Limited Manufacturer's Warranty

MAPA's Rooftop Electrical Disconnect Pedestals are covered by limited lifetime warranties. Check online at mapaproducts.com for the latest information.



Designed and factory- assembled to the custom job spec in the USA